

# DECLARATION OF PERFORMANCE

## Plex 1350

Nr Plex1350

<b>1. Unique identification code of the product-type:</b>	Plex 1350
<b>2. Intended use:</b>	Highly elastomeric waterproofing and crack-bridging membrane for flooring systems.
<b>3. Manufacturer:</b>	Eurostep Poland Sp. z o. o. ul. Tymiankowa 37/39 95-054 Ksawerów
<b>4. Authorised representative:</b>	Not relevant
<b>5. System/s of AVCP:</b>	System 4
<b>6a. Harmonised standard:</b>	EN 13813:2002
Notified body/ies:	Not relevant
<b>6b. European Assessment Document:</b>	Not relevant
European Technical Assessment:	Not relevant
Technical Assessment Body:	Not relevant
Notified body/ies:	Not relevant

7. Declared performance/s:	Classes	Harmonised technical specification
Reaction to fire	B <sub>fl</sub> - s1	
Release of corrosive substances	SR	
Water permeability	NPD	
Machanical resistance		
Wear resistance	≤ AR1	
Bond strenght	≥ B1,5	EN 13813:2002
Impact resistance	≥ IR4	
Sound insulation	NPD	
Sound absorption	NPD	
Thermal resistance	NPD	
Chemical resistance	NPD	
<b>8. Appropriate Technical Documentation and/or Specific Technical Documentation:</b>	Not relevant	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ksawerów, 30.10.2025

Sara Tuka



CE marking

	
Eurostep Poland Sp. z o.o. ul. Tymiankowa 37/39, 95-054 Ksawerów	
<b>24</b>	
Plex1350	
EN 13813:2002	
Highly elastomeric waterproofing and crack-bridging membrane for flooring systems.	
Reaction to fire	B <sub>fl</sub> -s1
Release of corrosive substances	SR
Wear resistance	≤ AR1
Bond strenght	≥ B1,5
Impact resistance	≥ IR4