

DECLARATION OF PERFORMANCE

Topcoat Plex 1690

Nr Topcoat Plex 1690

1. Unique identification code of the product-type:	Topcoat Plex 1690
2. Intended use:	Methacrylic resin creating a closing layer (varnish) for the MMA TF system.
3. Manufacturer:	Eurostep Poland Sp. z o. o. ul. Tymiankowa 37/39 95-054 Ksawerów
4. Authorised representative:	Not relevant
5. System/s of AVCP:	System 4
6a. Harmonised standard:	EN 13813:2002
Notified body/ies:	Not relevant
6b. European Assessment Document:	Not relevant
European Technical Assessment:	Not relevant
Technical Assessment Body:	Not relevant
Notified body/ies:	Not relevant

7. Declared performance/s:	Classes	Harmonised technical specification
Reaction to fire	E _{fl}	
Release of corrosive substances	SR	
Water permeability	NPD	
Machanical resistance		
Wear resistance	AR2	
Bond strenght	B1,5	
Impact resistance	IR1	
Sound insulation	NPD	EN 13813:2002
Sound absorption	NPD	
Thermal resistance	NPD	
Chemical resistance	NPD	
8. Appropriate Technical Documentation and/or Specific Technical Documentation:	Not relevant	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ksawerów, 04.01.2024

Sara Tuka

Sara Tuka



CE marking

	
Eurostep Poland Sp. z o.o. ul. Tymiankowa 37/39, 95-054 Ksawerów	
22	
TopcoatPlex1690	
EN 13813:2002	
Methacrylic resin creating a closing layer (varnish) for the MMA TF system.	
Reaction to fire	E _{fl}
Release of corrosive substances	SR
Wear resistance	AR2
Bond strenght	B1,5
Impact resistance	IR1