DECLARATION OF PERFORMANCE

Topcoat Plex 1690

Nr Topcoat Plex 1690

1. Unique identification code of the product-type:	Topcoat Plex 1690
2. Intended use:	Methacrylic resin creating a closing layer (varnish) for the MMA TF system.
3. Manufacturer:	Eurostep Poland Sp. z o. o. ul. Tymiankowa 37/39 95-054 Ksawerów
4. Authorised representative:	Not relevant
5. System/s of AVCP:	**System 4**
6a. Harmonised standard:	**EN 13813:2002**
Notified body/ies:	Not relevant
6b. European Assessment Document:	**Not relevant**
European Technical Assessment:	Not relevant
Technical Assessment Body:	Not relevant
Notified body/ies:	Not relevant

The information contained herein is offered for use by qualified technical personnel at their own discretion and risk. All statements, technical information and recommendations contained herein are based on tests and information that we believe to be reliable, but their accuracy or completeness is not guaranteed and no warranty can be given in this respect.

7. Declared performance/s:	Classes	Harmonised technical specification
Reaction to fire	Bfl-s1[1]	
Release of corrosive substances	SR	
Water permeability	NPD	
Machanical resistance		
Wear resistance	AR2	
Bond strenght	B1,5	
Impact resistance	IR1	
Sound insulation	NPD	EN 13813:2002
Sound absorption	NPD	
Thermal resistance	NPD	
Chemical resistance	NPD	

[1] Approved with test report P 14608-3.1-E (DIN-EN ISO 11925-2:2020-07 test)

8. Appropriate Technical Documentation and/or Specific Technical Documentation:	Not relevant

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ksawerów, 30.10.2025

Sara Tuka

Sara Tuka

Research & Development
Quality Control

The information contained herein is offered for use by qualified technical personnel at their own discretion and risk. All statements, technical information and recommendations contained herein are based on tests and information that we believe to be reliable, but their accuracy or completeness is not guaranteed and no warranty can be given in this respect.

CE marking

CE	
Eurostep Poland Sp. z o.o. ul. Tymiankowa 37/39, 95-054 Ksawerów	
22	
TopcoatPlex1690	
EN 13813:2002	
Methacrylic resin creating a closing layer (varnish) for the MMA TF system.	
Reaction to fire	B_{fl}-s1
Release of corrosive substances	SR
Wear resistance	AR2
Bond strenght	B1,5
Impact resistance	IR1

The information contained herein is offered for use by qualified technical personnel at their own discretion and risk. All statements, technical information and recommendations contained herein are based on tests and information that we believe to be reliable, but their accuracy or completeness is not guaranteed and no warranty can be given in this respect.