Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

# 1 SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**SLR Component A** 

Unique Formula Identifier UFI: G910-J04W-800G-R4SJ

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Epoxyd two-component epoxy resin

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU 22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against:. not determined.

# 1.3 Details of the supplier of the safety data sheet Eurostep Poland Sp. z o.o.

95-054 Ksawerów

ul. Tymiankowa 37/39; Poland

Tel.: (42) 235-28-88 www.eurostep.com.pl

Product technical information: eurostep@eurostep.com.pl

#### 1.4 Emergency telephone number

Nationwide emergency telephones (Mon-Fri 8:00 - 16:00): (+48) (42) 235-28-88

112 (emergency telephone number)

Emergency te	Emergency telephone number					
Country	Official advisory body	Address	Emergency number	Remark		
Austria	Vergiftungsinformationszentra le (Poisons Information Centre)	Stubenring 6 1010 Wien	+43 1 406 43 43			
Belgium	Centre Anti-Poisons/ Antigifcentrum c/o Hôpital Central de la Base – Reine Astrid	Rue Bruyn 1 B -1120 Bruxelles/Brussel	+32 70 245 245	Please dial: 070 245245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)		
Bulgaria	Национален токсикологичен информационен център (National Toxicological Information Centre) Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов" (National Clinical Toxicology Centre), Emergency Medical Institute "Pirogov"	21 Totleben Boulevard 1606 SOFIA	+359 2 9154 409			
Croatia	Centar za kontrolu otrovanja Institut za medicinska istraživanja i medicinu rada	Ksaverska Cesta 2 p.p. 291 10000 Zagreb	+385 1 234 8342			
Cyprus	Κέντρου Δηλητηριάσεων		1401	Operating hours 24 hours / 24 hours, 7 days a week		
Czech	Toxikologickéinformačnístředisko	Na Bojišti 1	+420 224 919 293			
Republic	Klinikapracovníholékařství VFN a 1. LF UK	120 00 Praha 2	+420 224 915 402			
Denmark	Giftlinjen Bispebjerg Hospital	Bispebjerg Bakke 23 2400 København NV	+45 82 12 12 12			
Estonia	Mürgistusteabekeskus	Gonsiori 29 15027 Tallinn	16662 +372 626 93 90			
Finland	Myrkytystietokeskus	Stenbäckinkatu 9 PO BOX 100 29 Helsinki	+358 9 471 977 +358 9 4711			
France	Centre Antipoison et de Toxicovigilance de Paris Hôpital Fernand Widal	200 rue du Faubourg Saint-Denis 75475 Paris Cedex 10	+33 1 40 05 48 48			
France	Centre Antipoison et de Toxicovigilance de Marseille Hôpital Sainte Marguerite	270 boulevard de Sainte Marguerite 13274 Marseille Cedex 09	+33 4 91 75 25 25			
Germany	Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik rechts der Isar der Technischen Universität München	Ismaninger Straße 22 81675 München	+49 (0) 89 19240			
Germany	Giftnotruf der Charité CBF, Haus VIII (Wirtschaftgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 (0) 30 19240			
Greece	Poisons Information Centre Children's Hospital P&A Kyriakou	11762 Athens	+30 2 10 779 3777			

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

	T	T		1
Hungary	Országos Kémiai Biztonsági	Nagyvárad tér 2.	+36 80 20 11 99	l
	Intézet Egészségügyi Toxikológiai	1437 Budapest, Pf. 839		l
	Tájékoztató Szolgálat	1097 Budapest		
Iceland	Eitrunarmiðstöð Landspítali	Fossvogi 108 Reykjavik	+354 543 22 22	
Ireland	National Poisons Information	PO Box 1297	+353 1 809 2566	l
	Centre Beaumont Hospital	Beaumont Road	(Healthcare professionals-	l
		9 Dublin	24/7)	
			+353 1 809 2166	
			(public, 8am - 10pm, 7/7)	
Italy	Centro Antiveleni Dipartimento di	Largo Agostino Gemelli	+39 06 305 4343	
	Tossicologia Clinica, Universita	8 168 Roma		
	Cattolica del Sacro Cuore			
Latvia	Valsts Toksikoloģijas centrs,	Hipokrāta 2	+371 67 04 24 73	
	Saindēšanās un zāļu informācijas	1038 Rīga		
	centrs			
Lithuania	Apsinuodijimų informacijos biuras	Birutės g. 56	+370 5 236 20 52	
		8110 Vilnius	+370 687 53378	
Luxembourg	Centre Anti-Poisons/ Antigifcentrum c/o	Rue Bruyn 1	+352 8002 5500	
	Hôpital Central de la Base - Reine	1120 Bruxelles/Brussel		
	Astrid			
Malta	Medicines & Poisons Info Office	Mater Dei Hospital	+356 2545 6504	
		MSD Msida		
Netherlands	Nationaal Vergiftigingen Informatie Centrum	Huispostnummer	+31 30 274 88 88	Only for thepurpose of informing
	Universitair Medisch Centrum Utrecht, Het	B.00.118		medical personnel in cases of
	Nationaal Vergiftigingen Informatie Centrum	PO Box 85500		acute intoxications
	(NVIC) informeert (dieren-) artsen, apothekers en	3508 GA Utrecht		
	andere professionele hulpverleners over de			
	mogelijke gezondheidseffecten en			
	behandelingsmogelijkheden bij vergiftigingen.			
	Het NVIC is hiervoor dag en nacht bereikbaar,			
	zowel telefonisch als via internet			
Norway	Giftinformasjonen Helsedirektoratet	P.O. Box 7000 St. Olavs	+47 22 591300	
. toay	Giranio iniasjonen i reisean ektoratet	Plass 130 Oslo	111 22 33 1300	
Poland	National Poisons Information Centre The Nofer	ul. Teresy 8 P.O. BOX	+48 42 63 14 724	
· olaria	Institute of Occupational Medicine (Łódź)	199 90950 Łódź	10 12 05 11 72 1	
Portugal	Centro de InformaçãoAntivenenosInstituto	Rua Almirante Barroso,	+351 808 250 143	
Tortugui	Nacional de Emergência Médica	36 1000-013 Lisboa	1331 000 230 143	
Romania	Department of Clinical Toxicology	Calea Floreasca	+40 21 230 8000	
Komama	Spitalul de Urgenta Floreasca	Bucuresti	140 21 230 0000	
Serbia	Nacionalni centar za kontrolu trovanja -	Crnotravska 17	+381 11 360 84 40 (24h)	
Serbia	VMA	11000 Beograd	+381 11 3672 187	
Slovakia	Národné toxikologickéinformačné centrum	Limbová 5	+421 2 54 77 41 66	
Siovakia	3		+421 2 54 // 41 00	
	UniverzitnánemocnicaBratislava,	833 05 Bratislava		
	pracoviskoKramáre,			
CI .	Klinikapracovnéholekárstva a toxikológie	7 1 11 . 7	200 44 050 500	
Slovenia	Center za kliničnotoksikologijo in	Zaloška cesta 7	+386 41 650 500	
<u> </u>	farmakologijoInternaklinika, UKCL	1525 Ljubljana	24.04.562.04.00	(T. )   )
Spain	Servicio de Información Toxicológica	Carretera de San	+34 91 562 04 20	(Toxicological
	Instituto Nacional de Toxicología y Ciencias	Jerónimo Km 0,4		emergencies only).
	Forenses, Departamento de Sevilla	41080 Sevilla		Information in Spanish (24/7)
Sweden	Giftinformationscentralen	Box 60 500	112 – begär	(from abroad: +41 44 251 51 51)
		171 76 Stockholm	Giftinformation +46 10 456	non urgent inquiry: +41 44 251
			6700 (Från utlandet)	66 66
Switzerland	Tox Info Suisse	Freiestrasse 16	145	
	1	8032 Zürich	1	1

## 2 SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Physical and chemical hazards:

This mixture does not present a physical hazard.

Health hazards

Serious eye damage/eye irritation, Hazard Category 1 [Eye Dam. 1]

Causes serious eye damage (H318)

Skin corrosion/irritation, Hazard Category 2 [Skin Irrit. 2]

Causes skin irritation (H315)

Sensitisation -Skin, hazard category 1, 1A, 1B [Skin Sens. 1]

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

May cause an allergic skin reaction (H317)

Reproductive toxicity, Hazard Category 1A, 1B [Repr. 1B]

May damage fertility. (H360F)

**Environmental hazards:** 

Hazardous to the aquatic environment - Chronic Hazard, Category 2 [Aquatic Chronic 2]

Toxic to aquatic life with long lasting effects (H411)

#### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

#### **Pictogram**



#### Signal word: Danger

Substances which influenced classification

Bis-[4-(2,3-epoxipropoxi)phenyl]propane; Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane; Bisphenol A

#### Hazard statement(s)

H315 Causes skin irritation

H317 May cause an allergic skin reaction.

H360FMay damage fertility.

H318 Causes serious eye damage

H411 Toxic to aquatic life with long lasting effects

### Precautionary statement(s):

#### **Prevention**

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection

P273 Avoid release to the environment

#### Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor

#### **Disposal**

P501 Dispose of contents/ container to an approved waste disposal plant

## Additional labelling:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

#### 2.3 Other\_hazards

The substances contained in the product do not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

**This mixture contains components considered** to have endocrinedisrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100

### 3 SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

#### 3.1 Substances:

Not applicable

### 3.2 Mixtures:

		Weight	Classification in line with The Regulation (EC) No. 1272/2008			
Substance identifier	Name of the substance	fraction %	Signal Word Code(s)	Hazard Class and Category Code(s)	Hazard Statemen t Code(s)	
CAS No: 1675-54-3 EC No 216-823-5 Index No 603-073-00-2 REACH No: 01-2119456619-26- xxxx	Bis-[4-(2,3- epoxipropoxi)phenyl]propane	25 <x<30< td=""><td>GHS07 GHS09 Wng</td><td>Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1 Specific Concentration limits Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %</td><td>H315 H319 H317 H411</td></x<30<>	GHS07 GHS09 Wng	Skin Irrit. 2 Eye Irrit. 2 Skin Sens. 1 Specific Concentration limits Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	H315 H319 H317 H411	
CAS No: EC No 701-263-0 Index No REACH No: 01-2119454392-40- xxxx	Reaction mass of 2,2'- [methylenebis(2,1- phenyleneoxymethylene)]bis( oxirane) and 2,2'- [methylenebis(4,1- phenyleneoxymethylene)]bis( oxirane) and 2-((2-[4-(oxiran- 2- ylmethoxy)benzyl]phenoxy}m ethyl)oxirane	1 <x<5< td=""><td>GHS07 GHS09 Wng</td><td>Skin Irrit 2 Skin Sens. 1 Aquatic Chronic 2</td><td>H315 H317 H411</td></x<5<>	GHS07 GHS09 Wng	Skin Irrit 2 Skin Sens. 1 Aquatic Chronic 2	H315 H317 H411	
CAS No ·80-05-7 EC No: 201-245-8 Index No: 604-030-00-0 REACH No:	Bisphenol A [1.2.3.4]	1 <x<5< td=""><td>GHS07 GHS08 GHS05 Dgr</td><td>Eye Dam. 1 Skin Sens. 1 STOT SE 3 Repr. 1B</td><td>H318 H317 H335 H360F</td></x<5<>	GHS07 GHS08 GHS05 Dgr	Eye Dam. 1 Skin Sens. 1 STOT SE 3 Repr. 1B	H318 H317 H335 H360F	
CAS No : 68609-97-2 EC No: 271-846-8 Index No: 603-103-00-4 REACH No: 01-2119485289-22- xxxx	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	1 <x<5< td=""><td>GHS07 Wng</td><td>Skin Irrit. 2 Skin Sens. 1</td><td>H315 H317</td></x<5<>	GHS07 Wng	Skin Irrit. 2 Skin Sens. 1	H315 H317	
CAS No: 100-51-6 EC No: 202-859-9 Index No: 603-057-00-5 REACH No: 01-2119492630-38- xxxx	Benzyl alcohol [1]	1 <x<3< td=""><td>GHS07 Wng</td><td>Acute Tox. 4 Acute Tox. 4</td><td>H332 H302</td></x<3<>	GHS07 Wng	Acute Tox. 4 Acute Tox. 4	H332 H302	
CAS No: 14808-60-7 EC No: 238-878-4 Index No:: REACH No:	Quartz (SiO2) [1]	<1		Not Classified		
CAS No: 872-50-4 EC No: 212-828-1 Index No: 606-021-00-7 REACH No: 01-2119472430-46- xxxx	1-methyl-2-pyrrolidone [1.2.3]	<0.25	GHS08 GHS07 Dgr	Repr. 1B STOT SE 3 Skin Irrit. 2 Eye Irrit. 2 Specific Concentration limits: STOT SE 3; H335: C ≥ 10 %	H360D H335 H315 H319	

- [1] Substance with national exposure limit in the workplace
- [2] Substance with European Union level exposure limit in the workplace
- [3] Substance is subject to the restrictions contained in Annex XVII of the REACH Regulation see 15 section SDS
- [4] REACH Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Full H phrases are specified in point 16 hereof.

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

#### 4 SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

If inhaled: Take the victim out of the exposure area, place them in a comfortable half-sitting or lying

position, provide calm and protect against heat loss. If needed, seek medical help

In case of skin contact: Remove contaminated clothing. Wash the affected area with plenty of water, preferably

lukewarm. If skin irritation persists, seek medical help c

In case of eye contact: Rinse immediately with plenty of cool, running water and continue rinsing for at least 15

minutes. Remove contact lenses. Do not use heavy streams of water to avoid cornea

damage. If the irritation persists, consult an eye-doctor.

If swallowed: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water

and give some water to drink. If symptoms develop, or if in doubt contact a Poisons

Information Centre or a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

Skin contact: Possible burning sensation, temporary irritation. May cause an allergic skin reaction.

Eye contact: Serious burns, cornea and conjunctiva damage leading to irreversible vision loss and even

blindness.

Ingestion: Possible abdominal pain, nausea, vomiting, irritation of digestive tract.

In case of exposure to high vapour concentration possible irritation of respiratory tract,

headache and dizziness

#### 4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Treat symptomatically

#### 5 SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media:

Jet water

#### 5.2 Special hazards arising from the substance or mixture

During the fire, the product may produce harmful gases. Do not inhale combustion products, they can be dangerous for human health

#### 5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Do not let extinguishing water to reach drainage system, surface water and groundwater. Collect used extinguishing media.

#### **6 SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

<u>For non-emergency personnel</u>: Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. In case of large spills, isolate the affected area. Avoid direct contact with releasing product. Avoid breathing vapors. Use personal protective equipment. Avoid contact with eyes and skin. Provide adequate ventilation. Remove all sources of ignition, extinguish flames, prohibit smoking. Danger of slipping on spilled product.

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

<u>For emergency responders:</u> ensure that only the trained personnel removes the effects of the accident. Use personal protective measures.

### 6.2 Environmental precautions

In case of release of large amounts of the mixture, it is necessary to take appropriate steps to prevent it from spreading into the environment. Do not let the product to get to the sewage system. Notify relevant emergency services.

#### 6.3 Methods and material for containment and cleaning up

Large spill: isolate the place of liquid accumulation, pump away the collected liquid.

Small spill: collect with incombustible materials which absorb liquids (for example: sand, soil, universal firming agents, silica, vermiculite, etc.) and place in labeled containers. Treat the collected material as waste. Clean and ventilate the affected area

#### 6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### 7 SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Refer product specification and/or product label for specific storage temperature requirement. Keep container tightly closed. Keep away from heat, sparks and flame. Do not store with incompatible materials (see subsection 10.5).

#### 7.3 Specific end use(s)

No information on applications other than those listed in subsection 1.2.

### 8 SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

### 8.1 Control parameters

Benzyl alcohol [100-51-6]					
Finland	10	45			
Germany (AGS)	5 (1)	22 (1)	10 (1)(2)	44 (1)(2)	
(DFG)	5 (1)(2)	22 (1)(2)	10 (1)(2)(3)	44 (1)(2)(3)	
Latvia		5			
Poland		250			
Switzerland	5	22			
Remarks:					
Germany (AGS)	(1) Inhalab	le fraction and	vapour (2) 15 m	inutes average value	
Germany (DFG)	(1) Inhalab	le fraction and	vapour (2) Skin	(3) 15 minutes average value	
Quartz [14808-60-7]					
	Limit valu	e - Eight hours	Limit value	- Short term	
	[1	I / 31	[1	[ / 31	

	Limit value	- Eight hours	Limit value	- Short term
	[ppm]	[mg/m³]	[ppm]	[mg/m³]
Austria		0.05(1)(2)		
Belgium		0.1		
Denmark		0,3 inhalable	aerosol	0,6 inhalable aerosol
		0,1 respirable	e aerosol	0,2 respirable aerosol
Finland		0.05(1	)	
France		0,1 respirable	e aerosol	

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Hungary	0,15 respirable aerosol	
Ireland	0,1 (1)	
Norway	0,3 (1)	
	0,1 (2)	
Poland	0.1(1)	
Spain	0,05 (1)	
Sweden	0,1 (1)	
Switzerland	0,15 respirable aerosol	
The Netherlands	0,075 respirable dust	

#### Remarks:

Austria(1) MAK value (2) Respirable fraction

Finland

(1) Respirable fraction

France Bold type: Restrictive statutory limit values

Ireland (1) Respirable fraction

Norway (1) Total dust (2) Respirable fraction

Poland (1) Respirable fraction
Spain (1) Respirable fraction
Sweden (1) Respirable fraction

#### N-Methyl-2-pyrrolidon [872-50-4]

	Limit value	- Eight hours	Limit value	- Short term
	[ppm]	[mg/m³]	[ppm]	[mg/m³]
Austria	10	40	20	80
Belgium	10 (1)	40 (1)	20 (1)(2)	80 (1)(2)
Denmark	5 (1)	20 (1)	10 (1)(2)	40 (1)(2)
European Union	10	40	20 (1)	80 (1)
	14,4			
Finland	3,5	14	20 (1)	80 (1)
France	10	40	20 (1)	80 (1)
Germany (AC	SS) 20 (1)(2)	82 (1)(2)	40 (1)(2)(3)	164 (1)(2)(3)
(DF	G) 20 (1)(2)	82 (1)(2)	40 (1)(2)(3)	164 (1)(2)(3)
Ireland	10	40	20 (1)	80 (1)
Italy	10	40	20 (1)(2)	80 (1)
Latvia	10	40	20 (1)	80 (1)
Norway	5 (1)	20 (1)	20 (1)(2)	80 (1)(2)
Poland		40		80
Romania	10	40	20 (1)	80 (1)
Spain	10 (1)	40 (1)	20 (1)(2)	80 (1)(2)
Sweden	3,6	14,4	20 (1)	80 (1)
Switzerland	20	80	40	160
The Nitherlands		40		80
<b>United Kingdom</b>	10	40	20 (1)	80 (1)

#### Remarks:

Belgium(1) Additional indication "D" means that the absorption of the agent through the skin, mucous membranes or eyes is an important part of the total exposure. It can be the result of both direct contact and its presence in the air. (2) 15 minutes average value

Denmark(1) Skin (2) 15 minutes average value

European Union (1) 15 minutes average value Bold-type: Indicative Occupational Exposure Limit Value (IOELV) ~ Bold+Italics-type: Derived No Effect Level (DNEL) according to REACH regulation annex XVII ~ (for references see bibliography)

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Finland (1) 15 minutes average value

France Italics type: Indicative statutory limit values Skin (1) 15 minutes average value

Germany (AGS) (1) Inhalable fraction and vapour (2) Skin (3) 15 minutes average value

Germany (DFG) (1) Inhalable fraction and vapour (2) Skin (3) 15 minutes average value

Ireland (1) 15 minutes reference period

Italy (1) Skin (2) 15 minutes average value

Latvia (1) 15 minutes average value

Norway (1) Skin (2) 15 minutes average value

Romania (1) 15 minutes average value Spain (1) Skin (2) 15 minutes average value Sweden (1) 15 minutes average value United Kingdom (1) 15 minutes average value

Limit value	- Eight hours	Limit value	- Short term	
	mg/m <sup>3</sup>		mg/m <sup>3</sup>	
ppm		ppm	1119/111	F (4) (0)
Austria	2 (1)			5 (1)(2)
Belgium	2			
Denmark	2			4 (1)
European Un	ion 2 (1)			
Finland	2			
France	2 (1)			
Germany (AC	GS) 5 (1)			5 (1)(2)
Germany (DF	FG) 5 (1)			5 (1)(2)
Ireland	2 (1)			
Italy	2 (1)	(2)		
Latvia	2			
Norway	2 (1)			
Poland	2 (1)			
Romania	2 (1)			
Spain	2			
Sweden	2			
Switzerland	3 (1)			
The Netherla	inds 2	•		
United Kingo	lom 10			
Domarke				

#### Remarks

Austria(1) Inhalable fraction (2) Ceiling limit value

Denmark (1) 15 minutes average value

European Union (1) Inhalable fraction Bold-type: Binding Occupational Exposure Limit Value (BOELV) ~ (for references see bibliography)

France Bold type: Restrictive statutory limit values (1) Inhalable fraction

Germany (AGS) (1) Inhalable aerosol (2) 15 minutes average value

Germany (DFG) (1) Inhalable fraction (2) 15 minutes average value

Ireland (1) Inhalable fraction

Italy (1) Inhalable fraction (2) Skin

Norway (1) Inhalable fraction

Poland (1) Inhalable fraction

Romania (1) Inhalable fraction

Switzerland (1) Inhalable fraction

Revision: 12.04.2023

**VERSION: 1.0/EN** 

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

#### Recommended monitoring procedures

Procedures shall be in place to monitor the air concentrations of hazardous components and, where available and justified at the workplace, to control the cleanliness of air in the workplace in accordance with relevant Polish or European Standards, taking into account the conditions at the exposure site and the appropriate measurement methodology adapted to the working conditions. The mode, type and frequency of tests and measurements should meet the requirements of the Ordinance of the Minister of Health of 2 February 2011 (OJ No. 33, item 166).

#### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Use the product in accordance with good occupational hygiene and safety practices. When handling do not eat, drink or smoke. Before break and after work wash hands carefully. Avoid eye contamination and prolonged skin contact. Do not inhale vapors. Ensure adequate ventilation in order to maintain the concentration of harmful factors below the limit values

### 8.2.2 Individual protection measures, such as personal protective equipment

### Hand and body protection

Use gloves resistant to chemicals. Recommended glove [nitrile rubber] In case of short-term exposure wear the protective gloves with protection level 2 or higher (breakthrough time > 30 min). In case of long-term exposure wear the protective gloves with protection level 6 (breakthrough time > 480 min). Wear protective clothing and shoes – resistant to chemicals

When using protective gloves during work with chemical products, it should be noted that the efficacy levels and corresponding breakthrough times do not indicate actual times of protection at a particular workplace, because the protection can be affected by many factors, e.g. temperature, other substances etc. If there are any signs of degradation, damage or change in appearance (colour, flexibility, shape), it is recommended to replace the gloves with a new pair. Please follow the manufacturer's instructions, not only in terms of gloves' usage, but also in terms of their cleaning, maintenance and storage. It is also important to know how to take off the gloves in order to avoid hands contamination.

#### Eye/face protection

Use protective glasses, if there is a risk of eye contamination

#### Respiratory protection:

Not required, if the ventilation is adequeteln case of vapors and aerosols formation, use the absorbing or absorbing and filtering equipment of an adequate protective class (class 1/ protection from gasses or vapors with a volume concentration lower than 0,1%; class 2/ protection from gasses or vapors with a volume concentration lower than 0,5%; class 3/ protection from gasses or vapors with a volume concentration up to 1%). If the concentration of oxygen is  $\leq$ 19% and/or the maximum concentration of toxic substance in the air is  $\geq$ 1,0% of volume the isolating equipment should be used.

Personal protective equipment must meet requirements of directive 89/686/CE. Employer is obliged to ensure equipment adequate to activities carried out, with quality demands, cleaning and maintenance

#### 8.3 Environmental exposure controls

Avoid release to the environment, do not enter the sewage system. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation

#### 9 SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state: Thick liquid
Colour: Not available

Odour: Organic compounds

Melting point/freezing point:

Boiling point or initial boiling point and boiling range:

Flammability:

Lower and upper explosion limit:

Not available

Not available

Flash point: Not available

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Auto-ignition temperature:

Decomposition temperature:

PH:

Not available

Not available

Not available

Not available

7600-8300 mPa-s

Solubility:

Not available

Partition coefficient n-octanol/water (log value):

Not available

Vapour pressure:

Density and/or relative density:

Relative vapour density:

Not available

1,77-1,78 g/cm³

Not available

Particle characteristics: Not applicable [Liquid]

#### 9.2 Other information

#### 9.2.1 Information with regard to physical hazard classes

Information unavailable

### 9.2.2 Other safety characteristics

Information unavailable

#### 10 SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

No reactivity under recommended storage and handling conditions.

#### 10.2 Chemical stability

Stable under recommended storage and usage conditions.

#### 10.3 Possibility of hazardous reactions

Stable under normal conditions of use and storage

#### 10.4 Conditions to avoid

Information unavailable

#### 10.5 Incompatible materials

Avoid contact with oxidizing materials.

#### 10.6 Hazardous decomposition products

Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds. Reference to other sections: 5.2.

#### 11 SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Toxicity of components**

1,2-bis[4-(2,3-epoxypropoxy)phenyl]propane

LD50 oral >15000 mg/kg Rat

LD50 dermal >2000 mg/kg Rat

Benzyl alcohol

LD50 Dermal Rabbit 2000 mg/kg -

LD50 Oral Rat 1230 mg/kg

Bisphenol A

LD50 Dermal Rabbit 3590 mg/kg -

LD50 Oral Rat 3250 mg/kg

#### **Toxicity of mixture**

**Acute toxicity** 

ATE MIX oral (mg / kg):>2000 Based on available information, classification criteria are not met. ATE  $_{\text{MIX}}$  dermal(mg/kg): >2.000,0 Based on available information, classification criteria are not met.

Page <u>10 /16</u>

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

ATE MIX inhalation (mq/l/4h): >20 Based on available information, classification criteria are not met.

\*ATEmix value was calculated using relevant converted acute toxicity point estimate included in 3.1.2 table from Regulation 1272/2008/EC.

Based on available information, classification criteria are not met.

Skin corrosion/irritation:

Causes skin irritation

Serious eye damage/irritation:

Causes serious eye damage

Respiratory or skin sensitisation

May cause an allergic skin reaction

Germ cell mutagenicity

Based on available information, classification criteria are not met.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

May damage fertility.

STOT-single exposure:

May cause respiratory irritation

STOT-repeated exposure;

Based on available information, classification criteria are not met.

Aspiration hazard

Based on available information, classification criteria are not met.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin contact: Possible burning sensation, temporary irritation. May cause an allergic skin reaction.

Eye contact: Serious burns, cornea and conjunctiva damage leading to irreversible vision loss and even blindness.

Ingestion: Possible abdominal pain, nausea, vomiting, irritation of digestive tract.

Inhalation: In case of exposure to high vapour concentration possible irritation of respiratory tract, headache and

dizziness

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

#### Product:

Assessment: This substance/mixture contains components considered to have endocrinedisrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

#### **Components:**

Assessment : <u>Bisphenol A [1.2.3.4]</u> The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for human health

#### 11.2.2 Other information

Not applicable to substances

#### 12 SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

### **Toxicity of components**

2,2-bis[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)

LC50 - Fish 2 mg/l (Oncorhynchus mykiss)

EC50 - Shellfish 1.8 mg/l (Daphnia magna)

Algae ErC50 > 11 mg/l (Scenedesmus capricornutum)

NOEC for chronic crustacea 0.3 mg/l (OECD 211; Daphnia magna)

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Chronic NOEC for algae 2.4 mg/l (Oncorhynchus mykiss)

Bisphenol F reaction product zepichlorohydrin; an epoxy resin

EC50 72h - Algae ≥ 1.8 mg/l (OECD 201; Pseudokirchneriella subcapitat)

NOEC for chronic crustacea 0.3 mg/l (OECD 211; Daphnia magna)

#### **Toxicity of product**

Toxic to aquatic life with long lasting effects

In order to minimise long-term global pollution, this should be considered:

- Reducing the use of products and disposable packaging.
- Participation in recycling activities
- Do not allow product to enter water, sewage or soil

#### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

Benzyl alcohol (100-51-6)

(Log Pow) 1.1

2,2-bis[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)

 $(Log Pow) \ge 2.918 (25 °C; pH 7.1)$ 

Bisphenol F reaction product zepichlorohydrin; an epoxy resin

(Log Pow) 3,6 (20 °C)

### 12.4 Mobility in soil

The mobility of the substance depends on their hydrophilic and hydrophobic properties and abiotic and biotic conditions of soil, including its structures, climatic conditions, seasons (in Poland, in a variable moderate climate) and soil organisms, mainly (bacteria, fungi, algae, invertebrates).

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : This substance/mixture contains components considered to have endocrinedisrupting properties for environment , according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100

#### **Components:**

Assessment : <u>Bisphenol A [1.2.3.4]</u> The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for human health

#### 12.7 Other adverse effects

The mixture is not classified as hazardous to the ozone layer. There should be considered the possibility of other harmful effects of the individual components of the mixture on the environment. (eg. the ability of disrupting endocrine, the impact of global warming potential).

#### 13 SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

<u>Disposal methods for the product:</u> dispose in accordance with applicable regulations. Do not introduce into drains. Residues store in sealed, steel containers.

<u>Disposal methods for used packing</u>: reuse/recycle/eliminate empty containers in accordance with the local legislation. Only completely emptied packaging can be recycled.

Legal basis: Directive 2008/98/EC, 94/62/EC.

#### 14 SECTION 14: TRANSPORT INFORMATION

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)



**375** These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

#### 14.1 UN number or ID number

ADR/ARID/IMDG/IATA: UN3082

#### 14.2 UN proper shipping name

ADR/RID/ IMDG/IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 274: Bis-[4-(2,3-epoxipropoxi)phenyl]propane

#### 14.3 Transport hazard class(es)

ADR/RID/ IMDG/IATA: 9

### 14.4 Packing group

ADR/RID/ IMDG/IATA: III

#### 14.5 Environmental hazards

ADR/RID/ IMDG/IATA:Yes

### 14.6 Special precautions for user

#### **ADR**

Tunnel restriction code [-]
Transport category 3
Limited quantity: LQ: 5 L

Packing instructions: 'P001 IBC03 LP01 R001 Special provisions: '274;335;375;601

**IMDG** 

Packing instructions P001; LP01; IBC03

EmS:F-A, S-FStowage and handlingCategory ASpecial provisions274.335.969

Limited quantities LQ: 5 L

IATA

IATA-packing instructions - Passenger

Excepted quantities (IATA): E1
Limited quantities (IATA): Y964
Limited quantity Passenger (IATA): 1L
Packing instructions: (IATA): 353
Max. quantity net (IATA): 5L

IATA (Cargo)

IATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60LERG code (IATA) :3L

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 15 SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Directive

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

2012/18/EU (Seves	o III)			
Dangerous substance/hazard categories		Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E2	Hazardous to the Aquatic Environment in Category Chronic 2	200	500	51)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59		Bisphenol A [80-05-7	7]	
placing on the mar	ns on the manufacture, ket and use of certain ances, mixtures and I	Bisphenol A [80-05- N-Methyl-2-pyrrolid	7] No 66 on [872-50-4] No 71	

Other legislation:

- 1272/2008/EC of the Regulation of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures - amending and repealing Directive 67/548/EEC and 1999/45/EC, and Regulation (EC) No 1907/2006.
- 2. **2018/669/UE** Commission Regulation (EU) 2018/669 of 16 April 2018 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures Text with EEA relevance.
- 3. **790/2009/EC** of 10 August 2009 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.
- 4. **2008/98/EC** Directive of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives
- 5. **94/62/EC** Commission Directive 2013/2/EU of 7 February 2013;amending Annex I to Directive 94/62/EC of the European Parliament and of the Council on packaging and packaging waste
- 6. **2015/830/EU** Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

### 15.2 Chemical safety assessment

The supplier has not assessed chemical safety It is not required for the mixture.

#### 16 SECTION 16: OTHER INFORMATION

### Other sources of information:

IUCLID Data Bank (European Commission – European Chemicals Bureau). ESIS – European Chemical Substances Information System (European Chemicals Bureau).

Safety Data Sheet made by: mgr Małgorzata Krenke; Feed Reach Consulting" www.frc.com.pl Disclaimer

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field

Revision: 12.04.2023

VERSION: 1.0/EN

# **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Classification according to Regulation (EC) No 1272/2008				
Skin Sens. 1	H317	calculation method		
Aquatic Chronic 2	H411	calculation method		
Skin Irrit. 2	H315	calculation method		
Eye Dam. 1	H318	calculation method		
Repr. 1B	H360F	calculation method		

H (hazard) phrases specified in point 2 and 3 hereof:

(u. u.) pu.ses spe	cined in point 2 and 3 hereor.
H315	Causes skin irritation.
Skin Irrit. 2	Skin corrosion/irritation, Hazard Category 2
H319	Causes serious eye irritation.
Eye Irrit. 2	Serious eye damage/eye irritation, Hazard Category 2
H302	Harmful if swallowed
Acute Tox 4	Acute toxicity (oral), Hazard Category 4
H332	Harmful if inhaled
Acute Tox4	Acute toxicity (inhal.), Hazard Category 4
H361	Suspected of damaging fertility or the unborn child
Repr. 2	Reproductive toxicity, Hazard Category 2
H317	May cause an allergic skin reaction
Skin Sens. 1	Sensitisation — Skin, hazard category 1, 1A, 1B
H411	Toxic to aquatic life with long lasting effects
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
H318	Causes serious eye damage
Eye Dam 1	Serious eye damage/eye irritation, Hazard Category 1
H335	May cause respiratory irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Hazard Category 3

**Explanation of returns** 

ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS "	Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United
	Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

Revision: 12.04.2023

VERSION: 1.0/EN

## **SLR Component A**

in accordance the Commission Regulation (EU) No **2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to
	Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses
	(Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
SVHC	Substance of Very High Concern
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

#### **Training**

Prior to working with the product you should be familiar with safety rules for handling the chemicals, in particular take proper workplace training. **People associated with the transport of hazardous materials in accordance with ADR** should be adequately trained to perform their duties (general training, bench and safety).