

## Europox Scratchcoat Component B

Prepared in accordance with Regulation (EU) 2020/878 amending Annex II to REACH (Regulation (EC) No 1907/2006)

### 1 SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**Europox Scratchcoat Component B**
**Unique Formula Identifier UFI: J440-70X0-C00T-KE0P**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Two-component epoxy resin for industrial and professional use. Hardener.

SU3 Industrial uses.

SU 22 Professional uses.

Uses advised against: Uses other than those identified above, especially consumer use or applications not in accordance with supplier's instructions.

#### 1.3 Details of the supplier of the safety data sheet

**Eurostep Poland Sp. z o.o.**

95-054 Ksawerów

ul. Tymiankowa 37/39; Poland

Tel.: +48 609 222 050

eurostep.pl

Product technical information: info@eurostep.pl

#### 1.4 Emergency telephone number

 Nationwide emergency telephones (**Mon-Fri 8:00 – 16:00**): **(+48) (42) 235-28-88**

112 (emergency telephone number)

| Emergency telephone number |  |   |                                      |   |
|----------------------------|--|---|--------------------------------------|---|
| Country                    | Official advisory body   | Address   | Emergency number                     | Remark  |
| Austria                    | Vergiftungsinformationszentrale (Poisons Information Centre)   | Stubenring 6<br>1010 Wien   | +43 1 406 43 43                      |   |
| Belgium                    | Centre Anti-Poisons/ Antigifcentrum c/o Hôpital Central de la Base – Reine Astrid  | Rue Bruyn 1 B -1120<br>Bruxelles/Brussel                          | +32 70 245 245                       | Please dial: 070 245245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee) |
| Bulgaria                   | Национален токсикологичен информационен център (National Toxicological Information Centre) Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов" (National Clinical Toxicology Centre), Emergency Medical Institute "Pirogov" | 21 Tottleben Boulevard<br>1606 SOFIA                              | +359 2 9154 409                      |   |
| Croatia                    | Centar za kontrolu otrovanja Institut za medicinska istraživanja i medicinu rada   | Ksaverska Cesta 2 p.p. 291<br>10000 Zagreb                        | +385 1 234 8342                      |   |
| Cyprus                     | Κέντρο Δηλητηριάσεων   |   | 1401                                 | Operating hours 24 hours / 24 hours, 7 days a week  |
| Czech Republic             | Toxikologické informační středisko Klinikapracovní holékařství VFN a 1, LF UK  | Na Bojišti 1<br>120 00 Praha 2                                    | +420 224 919 293<br>+420 224 915 402 |   |
| Denmark                    | Giftlinjen Bispebjerg Hospital   | Bispebjerg Bakke 23<br>2400 København NV                          | +45 82 12 12 12                      |   |
| Estonia                    | Mürgistusteabekeskus   | Gonsiori 29<br>15027 Tallinn                                      | 16662<br>+372 626 93 90              |   |
| Finland                    | Myrkytystietokeskus  | Stenbäckinkatu 9<br>PO BOX 100 29 Helsinki                        | +358 9 471 977<br>+358 9 4711        |   |
| France                     | Centre Antipoison et de Toxicovigilance de Paris Hôpital Fernand Widal   | 200 rue du Faubourg<br>Saint-Denis<br>75475 Paris Cedex 10        | +33 1 40 05 48 48                    |   |
| France                     | Centre Antipoison et de Toxicovigilance de Marseille Hôpital Sainte Marguerite   | 270 boulevard de Sainte<br>Marguerite 13274<br>Marseille Cedex 09 | +33 4 91 75 25 25                    |   |
| Germany                    | Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik rechts der Isar der Technischen Universität München   | Ismaninger Straße 22<br>81675 München                             | +49 (0) 89 19240                     |   |
| Germany                    | Giftnotruf der Charité CBF, Haus VIII (Wirtschaftsgebäude), UG   | Hindenburgdamm 30<br>12203 Berlin                                 | +49 (0) 30 19240                     |   |
| Greece                     | Poisons Information Centre Children's Hospital P&A Kyriakou  | 11762 Athens  | +30 2 10 779 3777                    |   |
| Hungary                    | Országos Kémiai Biztonsági Intézet Egészségügyi Toxikológiai   | Nagyvárad tér 2.<br>1437 Budapest, Pf. 839                        | +36 80 20 11 99                      |   |

## Europox Scratchcoat Component B

 Prepared in accordance with Regulation (EU) **2020/878** amending Annex II to REACH (Regulation (EC) No 1907/2006)

|             |  |  |  |   |
|-------------|--|--|--|---|
|             | Tájékoztató Szolgálat  | 1097 Budapest  |  |   |
| Iceland     | Eitrunarmiðstöð Landspítali  | Fossvogi 108 Reykjavík                                     | +354 543 22 22   |   |
| Ireland     | National Poisons Information Centre Beaumont Hospital  | PO Box 1297<br>Beaumont Road<br>9 Dublin                   | +353 1 809 2566<br>(Healthcare professionals-24/7)<br>+353 1 809 2166<br>(public, 8am - 10pm, 7/7) |   |
| Italy       | Centro Antiveneni Dipartimento di Tossicologia Clinica, Università Cattolica del Sacro Cuore   | Largo Agostino Gemelli<br>8 168 Roma                       | +39 06 305 4343  |   |
| Latvia      | Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs  | Hipokrāta 2<br>1038 Rīga                                   | +371 67 04 24 73   |   |
| Lithuania   | Apsinuodijimų informacijos biuras  | Birutės g. 56<br>8110 Vilnius                              | +370 5 236 20 52<br>+370 687 53378   |   |
| Luxembourg  | Centre Anti-Poisons/ Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid  | Rue Bruyn 1<br>1120 Bruxelles/Brussel                      | +352 8002 5500   |   |
| Malta       | Medicines & Poisons Info Office  | Mater Dei Hospital<br>MSD Msida                            | +356 2545 6504   |   |
| Netherlands | Nationaal Vergiftigingen Informatie Centrum Universitair Medisch Centrum Utrecht, Het Nationaal Vergiftigingen Informatie Centrum (NVIC) informeert (dieren-) artsen, apothekers en andere professionele hulpverleners over de mogelijke gezondheidseffecten en behandelingsmogelijkheden bij vergiftigingen. Het NVIC is hiervoor dag en nacht bereikbaar, zowel telefonisch als via internet | Huispostnummer B.00.118<br>PO Box 85500<br>3508 GA Utrecht | +31 30 274 88 88   | Only for the purpose of informing medical personnel in cases of acute intoxications |
| Norway      | Giftinformasjonen Helsedirektoratet  | P.O. Box 7000 St. Olavs<br>Plass 130 Oslo                  | +47 22 591300  |   |
| Poland      | National Poisons Information Centre The Nofer Institute of Occupational Medicine (Łódź)  | ul. Teresy 8 P.O. BOX<br>199 90950 Łódź                    | +48 42 63 14 724   |   |
| Portugal    | Centro de Informação Antivenenos Instituto Nacional de Emergência Médica   | Rua Almirante Barroso,<br>36 1000-013 Lisboa               | +351 808 250 143   |   |
| Romania     | Department of Clinical Toxicology Spitalul de Urgenta Floreasca  | Calea Floreasca<br>Bucuresti                               | +40 21 230 8000  |   |
| Serbia      | Nacionalni centar za kontrolu trovanja - VMA   | Crnotravska 17<br>11000 Beograd                            | +381 11 360 84 40 (24h)<br>+381 11 3672 187  |   |
| Slovakia    | Národné toxikologické informačné centrum Univerzitná nemocnica Bratislava, pracovisko Kramáre, Klinikapracovné hľadiskárstva a toxikológie   | Limbová 5<br>833 05 Bratislava                             | +421 2 54 77 41 66   |   |
| Slovenia    | Center za kliničnotoksikologijo in farmakologijo Interni klinika, UKCL   | Zaloška cesta 7<br>1525 Ljubljana                          | +386 41 650 500  |   |
| Spain       | Servicio de Información Toxicológica Instituto Nacional de Toxicología y Ciencias Forenses, Departamento de Sevilla  | Carretera de San Jerónimo Km 0,4<br>41080 Sevilla          | +34 91 562 04 20   | (Toxicological emergencies only). Information in Spanish (24/7)                     |
| Sweden      | Giftinformationscentralen  | Box 60 500<br>171 76 Stockholm                             | 112 – begär Giftinformation +46 10 456 6700 (Från utlandet)  | (from abroad: +41 44 251 51 51) non urgent inquiry: +41 44 251 66 66                |
| Switzerland | Tox Info Suisse  | Freiestrasse 16<br>8032 Zürich                             | 145  |   |

## 2 SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

##### Physical and chemical hazards:

This mixture does not present a physical hazard.

##### Health hazards

#### **Acute toxicity (oral), Hazard Category 4 [Acute Tox. 4]**

Harmful if swallowed. (H302)

#### **Acute toxicity (inhal.), Hazard Category 4 [Acute Tox. 4]**

Harmful if inhaled. (H332)

#### **Skin corrosion/irritation, Hazard Category 1, Sub-Categories 1A, 1B, 1C [Skin Corr. 1B]**

Causes severe skin burns and eye damage. (H314)

#### **Serious eye damage/eye irritation, Hazard Category 1 [Eye Dam. 1]**

Causes serious eye damage. (H318)

## Europox Scratchcoat Component B

Prepared in accordance with Regulation (EU) 2020/878 amending Annex II to REACH (Regulation (EC) No 1907/2006)

### Sensitisation -Skin, hazard category 1, 1A, 1B [Skin Sens. 1]

May cause an allergic skin reaction (H317)

### Reproductive toxicity, Hazard Category 2 [Repr. 2]

Suspected of damaging the unborn child. (H361d)

### Environmental hazards:

### Hazardous to the aquatic environment - Chronic Hazard, Category 3 [Aquatic Chronic 3]

Harmful to aquatic life with long lasting effects. (H412)

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

#### Pictogram



GHS05



GHS08



GHS07

### Signal word: Danger

#### Substances which influenced classification

Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexanamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane; Benzyl alcohol; m-phenylenebis(methylamine); Salicylic acid

### Hazard statement(s)

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H412 Harmful to aquatic life with long lasting effects.

### Precautionary statement(s):

#### Prevention

P260 Do not breathe vapours/ spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

#### Disposal

P501 Dispose of contents/container in accordance with national waste disposal regulations.

## 2.3 Other hazards

### PBT/vPvB assessment:

The mixture does not contain any components identified as persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at concentrations of 0.1% or higher.

### Endocrine-disrupting properties – Toxicological information (Section 11):

The mixture does not contain any components with endocrine-disrupting properties in accordance with REACH Article 57(f), Commission Delegated Regulation (EU) 2017/2100, or Commission Regulation (EU) 2018/605, at concentrations of 0.1% or higher.

**Salicylic acid (CAS 69-72-7)** – substance under assessment for endocrine-disrupting properties within the scope of the BPR; assessment ongoing.

## Europox Scratchcoat Component B

Prepared in accordance with Regulation (EU) 2020/878 amending Annex II to REACH (Regulation (EC) No 1907/2006)

### Endocrine-disrupting properties – Ecological information (Section 12):

The mixture does not contain any components with endocrine-disrupting properties in accordance with REACH Article 57(f), Commission Delegated Regulation (EU) 2017/2100, or Commission Regulation (EU) 2018/605, at concentrations of 0.1% or higher.

**Salicylic acid (CAS 69-72-7)** – substance under environmental endocrine-disruptor assessment within the BPR; assessment ongoing.

## 3 SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1 Substances:

Not applicable.

### 3.2 Mixtures:

| Substance identifier   | Name of the substance   | Weight fraction % | Classification in line with The Regulation (EC) No. 1272/2008 |   |                                      |
|--|---|-------------------|---|---|--------------------------------------|
|  |   |                   | Signal Word Code(s)   | Hazard Class and Category Code(s)   | Hazard Statement Code(s)             |
| CAS No: 38294-64-3<br>EC No: 500-101-4<br>Index No:<br>REACH No:<br>01-2119965165-33-xxxx            | Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexanamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane | 25 < x < 50       | GHS07<br>GHS05<br>Dgr   | Skin Corr. 1B<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2            | H314<br>H318<br>H317<br>H412         |
| CAS No: 100-51-6<br>EC No: 202-859-9<br>Index No: 603-057-00-5<br>REACH No:<br>01-2119492630-38-xxxx | Benzyl alcohol [1]  | 25 < x < 50       | GHS07<br>Wng  | Acute Tox. 4<br>Acute Tox. 4<br>Skin Sens 1B<br>Oral ATE = 1 200 mg/kg      | H332<br>H302<br>H317                 |
| CAS No: 1477-55-0<br>EC No: 216-032-5<br>Index No:<br>REACH No:<br>01-2119480150-50-xxxx             | m-phenylenebis(methylamine) [1]   | 10 < x < 25       | GHS05<br>GHS07<br>Dgr   | Acute Tox. 4<br>Acute Tox. 4<br>Skin Corr. 1B<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H332<br>H314<br>H318<br>H317 |
| CAS No: 69-72-7<br>EC No: 200-712-3<br>Index No: 607-732-00-5<br>REACH No:<br>01-2119486984-17-xxxx  | Salicylic acid  | 3 < x < 10        | GHS08<br>GHS05<br>GHS07<br>Dgr                                | Eye Dam. 1<br>Acute Tox. 4<br>Repr. 2                                       | H318<br>H302<br>H361d                |

[1] Substance with national exposure limit in the workplace.

Full H phrases are specified in point 16 hereof.

## 4 SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

**Inhalation:** If symptoms occur, move the affected person to fresh air and keep them at rest. If symptoms persist, seek medical advice.

**Skin contact:** Immediately remove contaminated clothing. Rinse skin thoroughly with plenty of water for at least 15 minutes. Do not rub the affected area. Apply a sterile dry dressing. Consult a physician immediately.

**Europox Scratchcoat Component B**

Prepared in accordance with Regulation (EU) 2020/878 amending Annex II to REACH (Regulation (EC) No 1907/2006)

Eye contact: Rinse immediately with plenty of water for at least 15 minutes, keeping eyelids open. Remove contact lenses if present and easy to do. Avoid rubbing eyes. If irritation persists, consult an ophthalmologist.

Ingestion: Do not induce vomiting. Rinse mouth with water (only if the person is conscious). If symptoms develop, seek medical attention and show the container or safety data sheet.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in Section 2.2 (label elements) and Section 11 (toxicological information). Skin contact may cause severe chemical burns, pain, tissue necrosis, and scarring. Eye contact may result in serious eye damage, including irreversible vision loss. Symptoms may be delayed.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Symptoms may be delayed. In case of skin sensitisation – avoid further exposure.

**5 SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media:

Jet water.

**5.2 Special hazards arising from the substance or mixture**

In case of fire, hazardous decomposition products may be released, such as carbon oxides, nitrogen oxides, fumes containing epoxy compounds, and other unidentified toxic substances.

**5.3 Advice for firefighters**

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Do not let extinguishing water to reach drainage system, surface water and groundwater. Collect used extinguishing media.

**6 SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes. Ensure adequate ventilation. Wear appropriate personal protective equipment – protective gloves, safety goggles, and protective clothing. In case of large spills – evacuate unprotected personnel.

**6.2 Environmental precautions**

Prevent release into drains, surface water, or soil. In case of significant spillage, inform relevant authorities.

**6.3 Methods and material for containment and cleaning up**

Absorb small amounts with inert material (e.g., sand, diatomaceous earth). Transfer to suitable, labelled containers for disposal in accordance with local regulations. Clean the contaminated area using detergent. Do not use solvents..

**6.4 Reference to other sections**

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

**7 SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Avoid exposure during pregnancy. Persons of childbearing age should take appropriate precautions. Use only in well-ventilated areas. Avoid contact with skin, eyes, and clothing. Do not breathe vapours or aerosols. Follow general rules for handling chemicals and maintain proper occupational hygiene.

## Europox Scratchcoat Component B

Prepared in accordance with Regulation (EU) 2020/878 amending Annex II to REACH (Regulation (EC) No 1907/2006)

### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed original containers in a cool, dry and well-ventilated area. Protect from direct sunlight and sources of heat or ignition. Do not store together with strong oxidising agents, acids or bases.

### 7.3 Specific end use(s)

No information on applications other than those listed in subsection 1.2.

## 8 SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

### 8.1 Control parameters

#### Benzyl alcohol [100-51-6]

##### Limit value - Eight hours Limit value - Short term

|               | ppm      | mg/m <sup>3</sup> | ppm          | mg/m <sup>3</sup> |
|---------------|----------|-------------------|--------------|-------------------|
| Finland       | 10       | 45                |              |                   |
| Germany (AGS) | 5 (1)    | 22 (1)            | 10 (1)(2)    | 44 (1)(2)         |
| (DFG)         | 5 (1)(2) | 22 (1)(2)         | 10 (1)(2)(3) | 44 (1)(2)(3)      |
| Latvia        |          | 5                 |              |                   |
| Poland        |          | 250               |              |                   |
| Switzerland   | 5        | 22                |              |                   |

Remarks:

Germany (AGS) (1) Inhalable fraction and vapour (2) 15 minutes average value

Germany (DFG) (1) Inhalable fraction and vapour (2) Skin (3) 15 minutes average value

#### m-Phenylenebis(methylamine) CAS-No.: 1477-55-0

##### Limit value - Eight hours Limit value - Short term

|             | [ppm] | [mg/m <sup>3</sup> ] | [ppm]    | [mg/m <sup>3</sup> ] |
|-------------|-------|----------------------|----------|----------------------|
| Austria     | 0,1   |                      |          |                      |
| Belgium     |       |                      |          | 0,1                  |
| Denmark     | 0,02  | 0,1                  | 0,02 (1) | 0,1 (1)              |
| Finland     |       |                      |          | 0,1 (1)              |
| France      |       |                      |          | 0,1                  |
| Ireland     | 0,1   |                      |          |                      |
| Norway      |       |                      |          | 0,1(1)               |
| Switzerland | 0,1   |                      |          |                      |

Remarks:

Additional indication "D" means that the absorption of the agent through the skin, mucous membranes or eyes is an important part of the total exposure. It can be the result of both direct contact and its presence in the air. Additional indication "M" means that irritation occurs when the exposure exceeds the limit value or there is a risk of acute poisoning. The work process must be designed in such a way that the exposure never exceeds the limit value. For evaluation, the sampled period should be as short as possible. However, the sampled period shall be long enough to perform a reliable measurement. The measured result shall be related to the considered period.

Denmark (1) Ceiling limit value

Finland (1) Ceiling limit value

Norway (1) Ceiling limit value

#### DNEL/PNEC

##### 100-51-6 Benzyl alcohol

#### DNEL:

##### Workers:

Dermal, acute, systemic effects: 40 mg/kg bw/day

Dermal, long-term, systemic effects: 8 mg/kg bw/day

Inhalation, acute, systemic effects: 110 mg/m<sup>3</sup>

Inhalation, long-term, systemic effects: 22 mg/m<sup>3</sup>

#### General population:

**Europox Scratchcoat Component B**

Prepared in accordance with Regulation (EU) 2020/878 amending Annex II to REACH (Regulation (EC) No 1907/2006)

Oral, acute, systemic effects: 20 mg/kg bw/day  
Oral, long-term, systemic effects: 4 mg/kg bw/day  
Dermal, acute, systemic effects: 20 mg/kg bw/day  
Dermal, long-term, systemic effects: 4 mg/kg bw/day  
Inhalation, acute, systemic effects: 27 mg/m<sup>3</sup>  
Inhalation, long-term, systemic effects: 5.4 mg/m<sup>3</sup>

**PNEC:**

Freshwater: 1 mg/L  
Marine water: 0.1 mg/L  
Sediment (freshwater): 5.27 mg/kg sediment  
Sediment (marine water): 0.527 mg/kg sediment  
STP (sewage treatment plant): 39 mg/L  
Soil: 0.456 mg/kg soil dw

**1477-55-0 m-Phenylenebis(methylamine)****DNEL:****Workers:**

Dermal, long-term, systemic effects: 0.33 mg/kg bw/day  
Inhalation, long-term, systemic effects: 1.2 mg/m<sup>3</sup>  
Inhalation, long-term, local effects: 0.2 mg/m<sup>3</sup>

**PNEC:**

Freshwater: 0.094 mg/L  
Marine water: 0.009 mg/L  
Sediment (freshwater): 0.43 mg/kg sediment  
Sediment (marine water): 0.043 mg/kg sediment  
STP: 10 mg/L  
Soil: 0.045 mg/kg soil dw

**69-72-7 Salicylic acid****DNEL:****Workers:**

Dermal, long-term, systemic effects: 2.3 mg/kg bw/day  
Inhalation, acute, systemic effects: 5 mg/m<sup>3</sup>  
Inhalation, long-term, systemic effects: 5 mg/m<sup>3</sup>

**General population:**

Oral, long-term, systemic effects: 1 mg/kg bw/day  
Dermal, long-term, systemic effects: 1 mg/kg bw/day  
Inhalation, long-term, systemic effects: 4 mg/m<sup>3</sup>

**PNEC:**

Freshwater: 0.2 mg/L  
Marine water: 0.02 mg/L  
Sediment (freshwater): 1.42 mg/kg sediment  
Sediment (marine water): 0.142 mg/kg sediment  
STP: 162 mg/L  
Soil: 0.166 mg/kg soil dw

**38294-64-3 Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexanamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane****DNEL:****Workers:**

Dermal, long-term, systemic effects: 0.14 mg/kg bw/day

**General population:**

Oral, long-term, systemic effects: 0.05 mg/kg bw/day  
Dermal, long-term, systemic effects: 0.05 mg/kg bw/day

**PNEC:**

## Europox Scratchcoat Component B

Prepared in accordance with Regulation (EU) 2020/878 amending Annex II to REACH (Regulation (EC) No 1907/2006)

Intermittent release: 0.111 mg/L  
 Freshwater: 0.011 mg/L  
 Marine water: 0.001 mg/L  
 Sediment (freshwater): 4320 mg/kg sediment  
 Sediment (marine water): 432 mg/kg sediment  
 STP: 10 mg/L  
 Soil: 864 mg/kg soil dw  
 Oral (secondary poisoning): 1 mg/kg food

### Recommended monitoring procedures

Procedures shall be in place to monitor the air concentrations of hazardous components and, where available and justified at the workplace, to control the cleanliness of air in the workplace in accordance with relevant Polish or European Standards, taking into account the conditions at the exposure site and the appropriate measurement methodology adapted to the working conditions.

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Ensure effective general and/or local exhaust ventilation.

#### 8.2.2 Individual protection measures, such as personal protective equipment

Eye/face protection: Wear tightly fitting safety goggles or glasses in accordance with EN 166.  
 Skin protection: Use chemical-resistant protective gloves. Recommended glove material: nitrile rubber. For short-term contact, use protective gloves with a protection level of at least 2 (breakthrough time > 30 minutes according to EN 374). For prolonged contact, use protective gloves with protection level 6 (breakthrough time > 480 minutes). Wear protective clothing and footwear resistant to chemicals.  
 Respiratory protection: If ventilation is insufficient, use appropriate respiratory protection (e.g., mask with A1/P2 filter).  
 Hygiene measures: Do not eat, drink or smoke when using the product. Wash hands before breaks and after finishing work.

### 8.3 Environmental exposure controls

Avoid release to the environment, do not enter the sewage system. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation

## 9 SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|   |  |
|---|--|
| Physical state:   | Liquid   |
| Colour:   | Cream to light beige                           |
| Odour:  | Characteristic                                 |
| Melting point/freezing point:                             | No data available                              |
| Boiling point or initial boiling point and boiling range: | No data available                              |
| Flammability:   | No data available                              |
| Lower and upper explosion limit:                          | No data available                              |
| Flash point:  | No data available                              |
| Auto-ignition temperature:                                | No data available                              |
| Decomposition temperature:                                | No data available                              |
| pH:   | Not applicable (product is insoluble in water) |
| Kinematic viscosity:                                      | No data available                              |
| Solubility:   | Insoluble in water                             |
| Partition coefficient n-octanol/water (log value):        | No data available                              |
| Vapour pressure:  | No data available                              |
| Density and/or relative density:                          | No data available                              |
| Relative vapour density:                                  | No data available                              |



**Europox Scratchcoat Component B**

Prepared in accordance with Regulation (EU) 2020/878 amending Annex II to REACH (Regulation (EC) No 1907/2006)

Particle characteristics:

Not applicable [Liquid]

**9.2 Other information****9.2.1 Information with regard to physical hazard classes**

Information unavailable.

**9.2.2 Other safety characteristics**

Information unavailable.

**10 SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

No reactivity under normal storage and use conditions.

**10.2 Chemical stability**

Stable under recommended storage and usage conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions are known if used as directed.

**10.4 Conditions to avoid**

Avoid overheating, open flames, and sources of ignition.

**10.5 Incompatible materials**

Avoid contact with strong acids, bases, amines, and oxidising agents.

**10.6 Hazardous decomposition products**

In case of fire or thermal decomposition, carbon oxides, nitrogen oxides, fumes containing epoxy compounds and other unidentified toxic substances may be released.

**11 SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicity of components**Benzyl alcohol

ATE (oral): 1200 mg/kg

1477-55-0 m-Phenylenebis(methylamine)Oral: LD<sub>50</sub> = 930 mg/kg (rat)Dermal: LD<sub>50</sub> > 3100 mg/kg (rat)69-72-7 Salicylic acidOral: LD<sub>50</sub> = 891 mg/kg (rat, male)Dermal: LD<sub>50</sub> > 2000 mg/kg (rat)**Toxicity of mixture**Acute toxicity

ATE MIX oral (mg / kg): ~ 909 Harmful if swallowed.

ATE MIX dermal(mg/kg): &gt;2.000 Based on available information, classification criteria are not met.

ATE MIX inhalation (mg/l/4h): ~1265 Harmful if inhaled.

\*ATEmix value was calculated using relevant converted acute toxicity point estimate included in 3.1.2 table from Regulation 1272/2008/EC.

Skin corrosion/irritation:

Causes severe skin burns.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available information, classification criteria are not met.

Carcinogenicity

**Europox Scratchcoat Component B**Prepared in accordance with Regulation (EU) **2020/878** amending Annex II to REACH (Regulation (EC) No 1907/2006)

Based on available information, classification criteria are not met.

Reproductive toxicity

Suspected of damaging the unborn child.

STOT-single exposure:

Based on available information, classification criteria are not met.

STOT-repeated exposure:

Based on available information, classification criteria are not met.

Aspiration hazard

Based on available information, classification criteria are not met.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

The mixture does not contain components identified as having endocrine-disrupting properties in accordance with Article 57(f) of REACH Regulation, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100 at concentrations  $\geq 0.1\%$ .

**Salicylic acid (CAS 69-72-7)** – substance under assessment for endocrine-disrupting properties within the scope of the BPR; **assessment ongoing**.

**11.2.2 Other information**

No known information.

**12 SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity of components**

**38294-64-3** – Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexanamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane

Daphnia (Daphnia magna): LC<sub>50</sub> / 48 h: 11.1 mg/lDaphnia (Daphnia magna): LC<sub>50</sub> / 96 h: 11.1 mg/lFish: LC<sub>50</sub> / 96 h: 70.7 mg/lAlgae: EC<sub>50</sub> / 72 h: 79.4 mg/l**100-51-6** – Benzyl alcohol:Fish (Pimephales promelas): LC<sub>50</sub> / 96 h: 460 mg/lDaphnia (Daphnia magna): LC<sub>50</sub> / 21 d: 6.77 mg/lDaphnia (Daphnia magna): EC<sub>50</sub> / 24 h: 35.1 mg/lDaphnia (Daphnia magna): EC<sub>50</sub> / 48 h: 15.2 mg/lAlgae: EC<sub>50</sub> / 72 h: 20.3 mg/lDaphnia (Daphnia magna): EC<sub>50</sub> / 21 d: 8.4 mg/l**69-72-7** – Salicylic acid:Daphnia (Daphnia magna): EC<sub>50</sub> / 48 h: 230 mg/lDaphnia (Daphnia magna): EC<sub>50</sub> / 48 h: 870 mg/lAlgae: EC<sub>50</sub> / 72 h: 770 mg/lAlgae: EC<sub>50</sub> / 72 h: > 100 mg/l**1477-55-0** m-phenylenebis(methylamine)Fish (Leuciscus idus): LC<sub>50</sub> / 96 h: 87.6 mg/l**Toxicity of product**

Harmful to aquatic life with long lasting effects.

In order to minimise long-term global pollution, this should be considered:

- Reducing the use of products and disposable packaging.
- Participation in recycling activities
- Do not allow product to enter water, sewage or soil

**12.2 Persistence and degradability**

No data available. Some ingredients are poorly biodegradable and may persist in the aquatic environment.

## Europox Scratchcoat Component B

Prepared in accordance with Regulation (EU) 2020/878 amending Annex II to REACH (Regulation (EC) No 1907/2006)

### 12.3 Bioaccumulative potential

Some components may have bioaccumulation potential.

Benzyl alcohol (100-51-6)

(Log Pow) 1.1

### 12.4 Mobility in soil

The mobility of the substance depends on their hydrophilic and hydrophobic properties and abiotic and biotic conditions of soil, including its structures, climatic conditions, seasons and soil organisms, mainly (bacteria, fungi, algae, invertebrates).

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### 12.6 Endocrine disrupting properties

The mixture does not contain components considered to have endocrine-disrupting properties for the environment in accordance with Article 57(f) of the REACH Regulation, Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**Salicylic acid (CAS 69-72-7)** – substance under environmental endocrine-disruptor assessment within the BPR; assessment ongoing.

### 12.7 Other adverse effects

Do not allow product to enter the environment. May cause long-term adverse effects in aquatic ecosystems.

## 13 SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Mixture:

Do not dispose of with household waste. Product residues should be treated as hazardous waste. Dispose of in accordance with national and local regulations. Recommended waste code: **08 04 09\*** waste adhesives and sealants containing organic solvents or other hazardous substances [ *waste adhesives and sealants containing dangerous substances (epoxy resins).*]

#### Packaging:

Contaminated packaging should be emptied as much as possible and disposed of in compliance with local waste regulations. If the packaging cannot be properly cleaned, it should be treated as hazardous waste. Recommended waste code: **15 01 10\*** – *packaging containing residues of or contaminated by hazardous substances.*

**Legal basis:** Directive 2008/98/EC, 94/62/EC.

## 14 SECTION 14: TRANSPORT INFORMATION



The mixture is subject to the regulations governing the transport of dangerous goods contained in ADR (road transport), RID (rail transport), ADN (inland waterway transport), IMDG (maritime transport), and ICAO/IATA (air transport).

### 14.1 UN number or ID number

ADR/ARID/IMDG/IATA: **UN 2735**

### 14.2 UN proper shipping name

ADR/RID/IMDG/IATA: POLYAMINES, CORROSIVE, N.O.S.

Special provision 274: Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexanamine with oligomerisation products of 4,4'-propane-2,2-diylphenol with 2-(chloromethyl)oxirane

### 14.3 Transport hazard class(es)

ADR/RID/IMDG/IATA: 8

**Europox Scratchcoat Component B**Prepared in accordance with Regulation (EU) **2020/878** amending Annex II to REACH (Regulation (EC) No 1907/2006)**14.4 Packing group**

ADR/RID/ IMDG/IATA: II

**14.5 Environmental hazards**

ADR/RID/ IMDG/IATA: The product is not classified as hazardous to the environment according to the criteria laid down in the UN Model Regulations.

**14.6 Special precautions for user****ADR**

|  |            |
|--|------------|
| Classification code:   | C7         |
| Tunnel restriction code:                                       | [E]        |
| Transport category:  | 2          |
| Limited and excepted Packaging Quantities 3.4 :                | 1 L        |
| Limited and excepted Packaging Quantities 3.5.1.2              | E2         |
| Mixed packing provisions:                                      | MP15       |
| Packing instructions:  | P001 IBC02 |
| Special provisions   | '274       |
| Special provisions for carriage Loading,unloading and handling | CV13       |
| Special provisions for carriage Packages :                     | V12        |
| Hazard identification No:                                      | 80         |

**RID**

|  |            |
|--|------------|
| Classification code:   | C7         |
| Transport category:  | 2          |
| Limited and excepted Packaging Quantities 3.4 :                | 1 L        |
| Limited and excepted Packaging Quantities 3.5.1.2              | E2         |
| Mixed packing provisions:                                      | MP15       |
| Packing instructions:  | P001 IBC02 |
| Special provisions   | '274       |
| Special provisions for carriage Loading,unloading and handling | CV13       |
| Special provisions for carriage Packages :                     | W12        |
| Express shipments::  | CE6        |
| Hazard identification No.                                      | 80         |

**IMDG:**

|                           |             |
|---------------------------|-------------|
| Special provisions        | 274         |
| Limited Quantity:         | 1L          |
| Quantities 3.5.1.2        | E2          |
| EmS-No. (Fire) :          | F-A         |
| EmS-No. (Spillage) :      | S-B         |
| Stowage category (IMDG) : | A           |
| Segregation:              | SGG18 SG35  |
| Packing instructions:     | P001; IBC02 |

**IATA**

|  |           |
|--|-----------|
| Label  | Corrosive |
| PCA Excepted quantities (IATA) :               | E2        |
| PCA Limited quantities (IATA) :                | Y840      |
| PCA limited quantity max net quantity (IATA) : | 0.5 L     |
| PCA packing instructions (IATA) :              | 851       |
| PCA max net quantity (IATA) :                  | 1L        |

**Europox Scratchcoat Component B**Prepared in accordance with Regulation (EU) **2020/878** amending Annex II to REACH (Regulation (EC) No 1907/2006)

CAO packing instructions (IATA) : 855  
CAO max net quantity (IATA) : 30L  
Special provision (IATA) : A803  
ERG code (IATA) : 8L

**14.7 Maritime transport in bulk according to IMO instruments**

The cargo is not intended to be carried in bulk.

**15 SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**Other legislation:

- 1 **Regulation (EC) No 1907/2006** concerning the Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC, and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, and 2000/21/EC.
- 2 **Commission Regulation (EU) 2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH).
- 3 **Regulation (EC) No 648/2004** of the European Parliament and of the Council of 31 March 2004 on detergents.
- 4 **Directive 94/62/EC** of the European Parliament and of the Council of 20 December 1994 on packaging and packaging waste, as amended.
- 5 **Regulation (EC) No 850/2004** of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC (as amended by subsequent regulations).
- 6 **Regulation (EC) No 1013/2006** of the European Parliament and of the Council of 14 June 2006 on shipments of waste (Waste Shipment Regulation).
- 7 **Regulation (EU) No 649/2012** of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals (PIC Regulation).
- 8 **Regulation (EC) No 1223/2009** of the European Parliament and of the Council of 30 November 2009 on cosmetic products.
- 9 **Regulation (EC) No 1272/2008** on classification, labelling, and packaging of substances and mixtures (CLP), including the latest Adaptations to Technical Progress (ATPs).
- 10 **Directive 2012/19/EU** of the European Parliament and of the Council of 4 July 2012 on waste electrical and electronic equipment (WEEE Directive).
- 11 **Regulation (EU) No 2019/1021** of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants (recasting Regulation (EC) No 850/2004).
- 12 **Regulation (EU) 2019/1148** of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.
- 13 **Act of 13 April 2016** on the safety of trading in explosives precursors (Journal of Laws 2016, item 669; consolidated text: Journal of Laws 2019, item 994).
- 14 **Act of 25 February 2011** on chemical substances and their mixtures (Journal of Laws 2011, No 63, item 322; consolidated text: Journal of Laws 2022, item 1816).
- 15 **Act of 13 June 2013** on the management of packaging and packaging waste (consolidated text: Journal of Laws 2024, item 927).
- 16 **Act of 14 December 2012** on waste (consolidated text: Journal of Laws 2023, item 1587).
- 17 **Regulation of the Minister of Economy of 5 November 2009** on specific requirements for aerosol products (Journal of Laws 2009 No 188, item 1460 as amended).
- 18 **Notice of the Minister of Entrepreneurship and Technology of 15 April 2019** on the announcement of the consolidated text of the Regulation of the Minister of Economy on specific requirements for aerosol products (Journal of Laws 2019, item 975).
- 19 **Act on the transport of dangerous goods of 19 August 2011** (Journal of Laws No 227, item 1367; consolidated text: Journal of Laws 2022, item 2147).

**Europox Scratchcoat Component B**

Prepared in accordance with Regulation (EU) 2020/878 amending Annex II to REACH (Regulation (EC) No 1907/2006)

20 **Government Statement of 13 March 2023** on the entry into force of amendments to Annexes A and B to the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), done at Geneva on 30 September 1957 (Journal of Laws 2023, item 891).

**15.2 Chemical safety assessment**The supplier has not assessed chemical safety It is not required for the mixture.**16 SECTION 16: OTHER INFORMATION****Other sources of information:**

IUCLID Data Bank (European Commission – European Chemicals Bureau)

ESIS – European Chemical Substances Information System (European Chemicals Bureau)

**SDS issued by: Małgorzata Krenke Feed Reach Consulting E-mail: biuro@frc.com.pl****Classification according to Regulation (EC) No 1272/2008**

|                   |       |                    |
|-------------------|-------|--------------------|
| Skin Sens. 1      | H317  | calculation method |
| Aquatic Chronic 3 | H412  | calculation method |
| Skin Corr. 1B     | H314  | calculation method |
| Eye Dam. 1        | H318  | calculation method |
| Repr. 2           | H361d | calculation method |

**H (hazard) phrases specified in point 2 and 3 hereof:**

|                    |   |
|--------------------|---|
| H302               | Harmful if swallowed  |
| Acute Tox 4        | Acute toxicity (oral), Hazard Category 4                                |
| H361d              | Suspected of damaging the unborn child.                                 |
| Repr. 2            | Reproductive toxicity, Hazard Category 2                                |
| H317               | May cause an allergic skin reaction                                     |
| Skin Sens. 1       | Sensitisation — Skin, hazard category 1, 1A, 1B                         |
| H412               | Harmful to aquatic life with long lasting effects.                      |
| Aquatic Chronic 3  | Hazardous to the aquatic environment — Chronic Hazard, Category 3.      |
| H314               | Causes severe skin burns and eye damage.                                |
| Skin Corr. 1A /B/C | Skin corrosion/irritation, Hazard Category 1, Sub-Categories 1A, 1B, 1C |
| H318               | Causes serious eye damage.  |
| Eye Dam 1          | Serious eye damage/eye irritation, Hazard Category 1.                   |
| H332               | Harmful if inhaled.   |
| Acute Tox4         | Acute toxicity (inhal.), Hazard Category 4                              |

**Explanation of returns**

|     |   |
|-----|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)                                       |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  |
| CMR | Carcinogenic, Mutagenic or toxic for Reproduction   |

**Europox Scratchcoat Component B**Prepared in accordance with Regulation (EU) **2020/878** amending Annex II to REACH (Regulation (EC) No 1907/2006)

|           |   |
|-----------|---|
| DGR       | Dangerous Goods Regulations (see IATA/DGR)  |
| DMEL      | Derived Minimal Effect Level  |
| DNEL      | Derived No-Effect Level   |
| EH40/2005 | Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> ) |
| EINECS    | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS    | European List of Notified Chemical Substances   |
| GHS "     | Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  |
| IATA      | International Air Transport Association   |
| IATA/DGR  | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO      | International Civil Aviation Organization   |
| IMDG      | International Maritime Dangerous Goods Code   |
| index No  | the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008  |
| MARPOL    | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")   |
| NLP       | No-Longer Polymer   |
| PBT       | Persistent, Bioaccumulative and Toxic   |
| PNEC      | Predicted No-Effect Concentration   |
| REACH     | Registration, Evaluation, Authorisation and Restriction of Chemicals  |
| RID       | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)     |
| STEL      | short-term exposure limit   |
| SVHC      | Substance of Very High Concern  |
| TWA       | time-weighted average   |
| VOC       | Volatile Organic Compounds  |
| vPvB      | very Persistent and very Bioaccumulative  |
| WEL       | workplace exposure limit  |

**Training**

Prior to working with the product you should be familiar with safety rules for handling the chemicals, in particular take proper workplace training. **People associated with the transport of hazardous materials in accordance with ADR** should be adequately trained to perform their duties (general training, bench and safety).

The provided information is based on current data and the manufacturer's knowledge and experience regarding the product. The Safety Data Sheet serves as guidance for safe handling during transport, distribution, application, and storage, but it does not certify the product's quality. The information is specific to the named product and may not apply to its use with other materials or in different applications. Users are responsible for complying with all applicable standards and regulations and bear responsibility for any misuse of the information in the Safety Data Sheet or improper use of the product.